



0300
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named
Inventor : Dnyanesh Talpade

Appln. No.: 10/008/380

Filed : November 13, 2001

For : IMPEDANCE-MATCHING APARATUS AND
CONSTRUCTION FOR INTRAVASCULAR
DEVICE

Docket No.: S13.12-0116

Group Art Unit:3739

**RESPONSE TO NOTICE TO CORRECTED APPLICATION PAPERS -
FILING DATE GRANTED**

Box Missing Parts
Commissioner for Patents
Washington, D.C. 20231

I HEREBY CERTIFY THAT THIS PAPER IS BEING
SENT BY U.S. MAIL, FIRST CLASS, TO THE
ASSISTANT COMMISSIONER FOR PATENTS,
WASHINGTON, D.C. 20231, THIS

13th DAY OF March 2002

PATENT ATTORNEY

Sir:

In response to the Notice to File Corrected Application
Papers - Filing Date Granted dated January 2, 2002, Applicant
encloses the following documents to complete the above-identified
patent application filed November 13, 2001:

1. Notice to File Corrected Application Papers-Filing Date
Granted.
2. Substitute Formal Drawings

The Director is authorized to charge payment of any
additional fees associated with this paper or credit any

overpayment to Deposit Account No. 23-1123. A duplicate copy of this sheet is enclosed.

Respectfully submitted,
WESTMAN, CHAMPLIN & KELLY, P.A.

By: 

Joseph R. Kelly, Reg. No. 34,847
Suite 1600 - International Centre
900 Second Avenue South
Minneapolis, Minnesota 55402-3319
Phone: (612) 334-3222 Fax: (612) 334-3312

JRK:slg




UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/008,380	11/13/2001	Dnyanesh Talpade	S13.12-0116

Joseph R. Kelly
WESTMAN CHAMPLIN & KELLY
Suite 1600-International Center
900 South Second Avenue
Minneapolis, MN 55402-3319



CONFIRMATION NO. 2877

FORMALITIES LETTER



OC000000007260089

Date Mailed: 01/03/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

A.T.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE